


Technical Information about 8-AET-c-diGMP-Agarose

Update: July 25, 2019 HJ



Abbreviation: 8-AET-c-diGMP-Agarose

BIOLOG Cat. No.: A 235

Description: In 8-AET-c-diGMP-Agarose 8-AET-c-diGMP (8-(2-Aminoethylthio)-cyclic diguanosine monophosphate, Cat. No. A 232) has been immobilized as an affinity ligand.

Properties: 8-AET-c-diGMP-Agarose may be useful for affinity chromatography of c-diGMP-responsive proteins. c-diGMP (Cat. No. C 057) is a purine-based signalling nucleotide in bacteria.

Specification: Suspension in 30 mM Na₂HPO₄ buffer (pH 7). Ligand density: approximately 1 µmol/ml of settled gel. UV: λ_{max} 271 nm/suspension in glycol.

Stability and Storage: 8-AET-c-diGMP-Agarose has sufficient stability for chromatography at ambient temperature. Nevertheless, for longer storage periods the gel should be kept in the refrigerator at + 4 - + 8 degrees Celsius. Storage buffer should contain azide for prevention of microbial growth.

Chromatography: After equilibration with about 10 column volumes of starting buffer the affinity column is loaded with the protein solution. In order to elute proteins unspecifically bound, the resin is washed, e.g. with 10 mM ATP, 1 mM GTP, 0.25 mM cGMP and/or 0.25 mM cAMP.

Elution of c-diGMP-binding proteins can be performed with free c-diGMP (e.g. 100 - 500 µM).

Suitable buffer systems for your special application have to be tested.

Regeneration of the agarose may be achievable by incubation with 8 M urea and subsequent washing with a suitable buffer.

Toxicity and Safety: Please keep in mind that the *in vivo* properties of this product are not sufficiently characterized up to now. Avoid skin contact or ingestion and allow only trained personnel to work with it.

Our products are designed, developed and sold for research purposes only. They are intended for *in vitro* and non-human *in vivo* laboratory applications. Any other use requires approval of health authorities.

Not for drug, household or related uses!

Selected References for 8-AET-c-diGMP-Agarose: 8-AET-c-diGMP-Agarose is a new product which has been synthesized by BIOLOG Life Science Institute for the first time. There are no corresponding references available at present.

Selected Reference for the Related Product 2'-AHC-c-diGMP-Agarose (Cat. No. A 153):

Düvel, J.; Bertinetti, D.; Möller, S.; Schwede, F.; Morr, M.; Wissing, J.; Radamm, L.; Zimmermann, B.; Genieser, H.-G.; Jansch, L.; Herberg, F.W.; Häussler, S., *J. Microbiol. Methods.*, **88**, 229 - 236 (2012): "A Chemical Proteomics Approach to Identify c-di-GMP Binding Proteins in *Pseudomonas aeruginosa*"

Selected References for the Bacterial Second Messenger c-diGMP (Cat. No. C 057):

Sundriyal, A.S.; Massa, C.; Samoray, D.; Zehender, F.; Sharpe, T.; Jenal, U.; Schirmer, T., *J. Biol. Chem.*, **289**, 6978 - 6990 (2014): "Inherent Regulation of EAL Domain-catalyzed Hydrolysis of Second Messenger Cyclic di-GMP"

- Shanahan, C.A.; Gaffney, B.L.; Jones, R.A.; Strobel, S.A., *Biochemistry*, **52**, 365 - 377 (2013): "Identification of c-di-GMP Derivatives Resistant to an EAL Domain Phosphodiesterase"
- Harmsen, M.; Yang, L.; Pamp, S.J.; Tolker-Nielsen, T., *FEMS Immunol. Med. Microbiol.*, **59**, 253 - 268 (2010): "An Update on Pseudomonas Aeruginosa Biofilm Formation, Tolerance, and Dispersal"
- Hu, D.L.; Narita, K.; Hyodo, M.; Hayakawa, A.; Karaolis, D.K.R., *Vaccine*, **27**, 4867 - 4873 (2009): "C-di-GMP as a Vaccine Adjuvant Enhances Protection Against Systemic Methicillin-resistant Staphylococcus Aureus (MRSA) Infection"
- Sudarsan, N.; Lee, E.R.; Weinberg, Z.; Moy, R.H.; Kim, J.N.; Link, K.H.; Breaker, R.R., *Science*, **321**, 411 - 413 (2008): "Riboswitches in Eubacteria Sense the Second Messenger Cyclic di-GMP"
- Waters, C.A.; Lu, W.Y.; Rabinowitz, J.D.; Bassler, B.L., *J. Bacteriol.*, **190**, 2527 - 2536 (2008): "Quorum Sensing Controls Biofilm Formation in Vibrio Cholerae through Modulation of cyclic-di-GMP Levels and Repression of vpsT"
- Karaolis, D.K.R.; Means, T.K.; Yang, D.; Takahashi, M.; Yoshimura, T.; Muraille, E.; Philpott, D.; Schroeder, J.T.; Hyodo, M.; Hayakawa, Y.; Talbot, B.G.; Brouillette, E.; Malouin, F., *J. Immunol.*, **178**, 2171 - 2181 (2007): "Bacterial c-di-GMP is an Immunostimulatory Molecule"
- Kim, Y.K.; McCarter, L.L., *J. Bacteriol.*, **189**, 4094 - 4107 (2007): "ScrG, a GGDEF-EAL Protein, Participates in Regulating Swarming and Sticking in Vibrio parahaemolyticus"
- Cotter, P.A.; Stibitz, S., *Curr. Opin. Microbiol.*, **10**, 17 - 23 (2007): "C-di-GMP Mediated Regulation of Virulence and Biofilm Formation"
- Simm, R.; Lusch, A.; Kader, A.; Andersson, M.; Römling, U., *J. Bacteriol.*, **189**, 3613 - 3623 (2007): "Role of EAL-containing Proteins in Multicellular Behavior of Salmonella enterica Serovar Typhimurium"
- Mendez-Ortiz, M.M.; Hyodo, M.; Hayakawa, Y.; Membrillo-Hernandez, J., *J. Biol. Chem.*, **281**, 8090 - 8099 (2006): "Genome-wide Transcriptional Profile of Escherichia coli in Response to High Levels of the Second Messenger 3', 5'- cyclic Diguanylic Acid"
- Zhang, Z.; Kim, S.; Gaffney, B. L.; Jones, R.A., *J. Am. Chem. Soc.*, **128**, 7015 - 7024 (2006): "Polymorphism of the Signaling Molecule c-di-GMP"
- Camilli, A.; Bassler, B.L., *Science*, **311**, 1113 - 1116 (2006): "Bacterial Small-Molecule Signaling Pathways"
- Hoffmann, L.; D'Argentino, D.A.; MacCross, M.J.; Zhang, Z.; Jones, R.A.; Miller, S.I., *Nature*, **436**, 1171 - 1175 (2005): "Aminoglycoside Antibiotics Induce Bacterial Biofilm Formation"
- Tamayo, R.; Tischler, A.D.; Camilli, A., *J. Biol. Chem.*, **280**, 33324 - 33330 (2005): "The EAL Domain Protein VieA is a Cyclic Diguanylate Phosphodiesterase"
- Karaolis, D.K.R.; Cheng, K.; Lipsky, M.; Elnabawi, A.; Catalano, J.; Hyodo, M.; Hayakawa, Y.; Raufman, J.-P., *Biochem. Biophys. Res. Comm.*, **329**, 40 - 45 (2005): "3', 5'-cyclic Diguanylic Acid (c-di-GMP) Inhibits Basal and Growth Factor-stimulated Human Colon Cancer Cell Proliferation"
- Simm, R.; Morr, M.; Kader, A.; Nimtz, M.; Römling, U., *Mol. Microbiol.*, **53**, 1123 - 1134 (2004): "GGDEF and EAL Domains Inversely Regulate Cyclic Di-GMP Levels and Transition from Sessility to Motility"
- D'Argenio, D.A. & Miller, S.I., *Microbiology*, **150**, 2497 - 2502 (2004): "Cyclic di-GMP as a Bacterial Second Messenger"
- Amikam, D.; Benziman, M., *J. Bacteriol.*, **171**, 6649 - 6655 (1989): "Cyclic Diguanylic Acid and Cellulose Synthesis in Agrobacterium tumefaciens"
- Ross, P.; Weinhouse, H.; Aloni, Y.; Michaeli, D.; Weinberger-Ohana, P.; Mayer, R.; Braun, S.; de Vroom, E.; van der Marel, G. A.; van Boom, J. H.; Benziman, M., *Nature*, **325**, 279 - 281 (1987): "Regulation of Cellulose Synthesis in Acetobacter xylinum by Cyclic Diguanylic acid"