

Technical Information about c-di-2'-dAMP

Analogue of the bacterial second messenger c-diAMP

Update: March 30, 2021 нл

Abbreviation:

c-di-2'-dAMP / c-(2'-dApAp)

Formula	CAS No.	Molecular Weight	UV	BIOLOG Cat. No.
C ₂₀ H ₂₄ N ₁₀ O ₁₁ P ₂ (free acid)	[1863930-83-9]	642.4 (free acid)	λ_{max} 259 nm / ϵ 27000 / pH 7	D 144

Name: 2'- Deoxy- cyclic diadenosine monophosphate (c-di-2'-dAMP / c-(2'-dApAp) / c-dA-AMP)

Description: c-di-2'-dAMP is an analogue of the bacterial second messenger c-diAMP (Cat. No. C 088) lacking one of the two ribose 2'-hydroxy groups.

Properties: c-di-2'-dAMP may be useful in studies on ligand-receptor interactions.

Specification: Crystallized or lyophilized sodium salt. Please keep in mind that equal concentrations of the compound may look different in volume due to sensitivity of the lyophilized form to humidity. The compound can even contract to small droplets. Normally the product is located in the conical bottom of the tube. Micro molar quantities are determined by UV at λ_{max} .

Purity: Typical analysis is better than 95% (HPLC / UV / 259 nm). The product is not sterile and has not been tested for endotoxins.

Solubility: c-di-2'-dAMP is soluble in water (≥ 7 mM, limits have not been determined). Please rinse tube walls carefully and preferably use ultrasonic or vortex to achieve total and uniform mixing. When opening the tube please make sure that no substance is lost within the cap.

Stability and Storage: c-di-2'-dAMP has sufficient stability at room temperature and does not need special care during handling or shipment. Nevertheless, we recommend that the compound should be stored in the freezer, for longer storage periods preferably in freeze-dried form.

Toxicity and Safety: Please keep in mind, that the *in vivo* properties of this compound are not sufficiently characterized up to now. Avoid skin contact or ingestion and allow only trained personnel to handle the product.

Our products are designed, developed and sold for research purposes only! They are intended for *in vitro* and nonhuman *in vivo* laboratory applications. Any other use requires approval of health authorities.

Not for drug, household or related uses!

Selected References for c-di-2'-dAMP: c-di-2'-dAMP is a new structure which has been synthesized by BIOLOG Life Science Institute for the first time. There are no corresponding references available at present.

Page 1 of 1 (BIOLOG Life Science Institute, Bremen, Germany Phone: 49 (0) 421 591355 F

Copyright March 21 by BIOLOG Life Science Institute Fax: 49 (0) 421 5979713 e-mail: service@biolog.de