


Technical Information about Sp-TTP- α -S (Sp-dTTP- α -S)

Update: April 11, 2019 HU



Abbreviation:

Sp-TTP- α -S / Sp-dTTP- α -S

Formula	CAS No.	Molecular Weight	UV	BIOLOG Cat. No.
C ₁₀ H ₁₇ N ₂ O ₁₃ P ₃ S (free acid)	[83199-32-0]	498.2 (free acid)	λ_{\max} 267 nm / ϵ 9600 / pH7	T 003

Name: Thymidine- 5'- O- (1- thiotriphosphate), Sp- isomer / syn.: 2'- Deoxythymidine- 5'- O- (1- thiotriphosphate), Sp-isomer (Since thymidine already describes a 2'-deoxy nucleoside, the term "2'-deoxythymidine" is redundant.)

Description: Sp-TTP- α -S is a modification of thymidine triphosphate (2'-deoxythymidine triphosphate), where one of the non-bridging oxygens in the S position of the α - phosphate is replaced by sulfur. The suffix "p" indicates that R/S nomenclature refers to phosphorus. The corresponding Rp-isomer is offered as well (Cat. No. T 002).

Properties:

- Increased metabolic stability compared to TTP,
- useful for modulation of TTP-responsive receptors and determination of their stereospecificity,
- accepted by DNA polymerase for incorporation of phosphorothioate into DNA.

Specification: Aqueous solution of the sodium salt (10 mM). Other salts of Sp-TTP- α -S are available upon request. Micromolar quantities are determined by UV at λ_{\max} . When opening the tube please make sure that no liquid is lost within the cap. A short spin-down in a bench centrifuge is recommended before use.

Purity: Typical analysis is better than 95% (HPLC / UV / 267 nm) at time of quality control and packing. However, actual purity depends on storage and transport conditions. The product is not sterile and has not been tested for endotoxins.

Stability and Storage: Sp-TTP- α -S is relatively stable when stored as aqueous solution in the freezer (- 20° Celsius necessary, - 80° Celsius recommended), however, at ambient temperature the compound slowly starts to decompose forming TTP and other nucleotide fragments. Thus, in order to maintain its original high quality, and especially if you want to avoid the presence of any TTP, it is recommended to allow thawing only before using the product. If you will not use up the vial with one application, please aliquot the contents of the vial in order to avoid repeated freeze/thaw cycles for the rest. When making such aliquots be sure to operate quickly and to freeze the vial again as soon as possible. Please ask for an offer to already pack these aliquots as you will need them.

Toxicity and Safety: Since thymidine triphosphate has important tasks in every organism, it is likely that its analogues will interfere with many cell regulation processes *in vivo*. However, due to the rather small quantities to work with, no health hazards have been reported. Nevertheless please keep in mind, that the *in vivo* properties of this compound are not sufficiently characterized up to now. Avoid skin contact or ingestion and allow only trained personnel to handle the product.

Our products are designed, developed and sold for research purposes only! They are intended for *in vitro* and nonhuman *in vivo* laboratory applications. Any other use requires approval of health authorities.

Not for drug, household or related uses!

Selected References for Sp-TTP- α -S:

- Sauer, S.; Lechner, D.; Berlin, K.; Lehrach, H.; Escary, J.L.; Fox, N.; Gut, I.G., *Nucleic Acids Res.*, **28** (5), e13 (2000): "A Novel Procedure for Efficient Genotyping of Single Nucleotide Polymorphisms"
- Sauer, S.; Lechner, D.; Berlin, K.; Plancon, C.; Heuermann, A.; Lehrach, H.; Gut, I.G., *Nucleic Acids Res.*, **28** (23), 100e (2000): "Full Flexibility Genotyping of Single Nucleotide Polymorphisms by the GOOD Assay"
- Karamohamed, S.; Nordström, T.; Nyrén, P., *Biotechniques* **26**, 728 - 734 (1999): "Real-time Bioluminometric Method for Detection of Nucleoside Diphosphate Kinase Activity"
- Furge, L.L.; Guengerich, F.P., *Biochemistry* **37**, 3567 - 3574 (1998): "Pre-steady-state Kinetics of Nucleotide Insertion Following 8-Oxo-7,8-dihydroguanine Base Pair Mismatches by Bacteriophage T7 DNA Polymerase Exo"
- Nyren, P.; Karamohamed, S.; Ronaghi, M., *Anal. Biochemistry* **244**, 367 - 373 (1997): "Detection of Single-Base Changes Using a Bioluminometric Primer Extension Assay"
- Conrad, F.; Hanne, A.; Gaur, R.K.; Krupp, G., *Nucl. Acids Res.*, **23**, 1845 - 1853 (1995): "Enzymatic Synthesis of 2'-modified Nucleic Acids: Identification of Important Phosphate and Ribose Moieties in RNase P Substrates"
- Eckstein, F.; Thomson, J.B., *Methods Enzymol.*, **262**, 189 - 202 (1995): "Phosphate Analogs for Study of DNA Polymerases"
- Lee, L.G.; Connell, C.R.; Woo, S.L.; Cheng, R.D.; McArdle, B.F.; Fuller, C.W.; Halloran, N.D.; Wilson, R.K., *Nucleic Acids Res.*, **20**, 2471 - 2483 (1992): "DNA Sequencing with Dye-labeled Terminators and T7 DNA Polymerase: Effect of Dyes and dNTPs on Incorporation of Dye-terminators and Probability Analysis of Termination Fragments"
- Olsen, D.B.; Kotzorek, G.; Eckstein, F., *Biochemistry* **29**, 9546 - 9551 (1990): "Investigation of the Inhibitory Role of Phosphorothioate Internucleotidic Linkages on the Catalytic Activity of the Restriction Endonuclease EcoRV"
- Gish, G.; Eckstein, F., *Science* **240**, 1520 - 1522: "DNA and RNA Sequence Determination Based on Phosphorothioate Chemistry"
- Nakamaye, K.L.; Gish, G.; Eckstein, F.; Vosberg, H.-P., *Nucl. Acids Res.*, **16**, 9947 - 9959 (1988): "Direct Sequencing of Polymerase Chain Reaction Amplified DNA Fragments Through the Incorporation of Deoxynucleoside alpha-Thiotriphosphates"
- Abbotts, J.; SenGupta, D.N.; Zon, G.; Wilson, S.H., *J. Biol. Chem.*, **263**, 15094 - 15103 (1988): "Studies on the Mechanism of Escherichia coli DNA Polymerase I Large Fragment"
- Shortle, D.; Grisafi, P.; Benkovic, S.J.; Botstein, D., *Proc. Natl. Acad. Sci. USA*, **79**, 1588 - 1592 (1982): "Gap Misrepair Mutagenesis: Efficient Site-directed Induction of Transition, Transversion, and Frameshift Mutations in vitro"
- Vossberg, H.-P.; Eckstein, F., *J. Biol. Chem.*, **257**, 6595 - 6599 (1982): "Effect of Deoxynucleoside Phosphorothioates Incorporated in DNA on Cleavage by Restriction Enzymes"
- Vossberg, H.-P.; Eckstein, F., *Biochemistry* **16**, 3633 - 3640 (1977): "Incorporation of Phosphorothioate Groups into fd and phiX174 DNA"